



Safety Data Sheet

SECTION 1: Identification

Product Name Seal Brite - Polymer Liquid Wax
Product Code 22-85

Recommended use Liquid wax for auto, marine and aircraft paint

Manufacturer Mark V Products
 400 El Sobrante Road
 Corona, CA 92879
 (951) 280-9799


Emergency Phone # Chemtrec (800) 424-9300

SECTION 2: Hazard Identification

Classification of Substance Mixture

Harmful: Combustible

Physical Statements: H227: Combustible Liquid
 Health Statments: H303: May be harmful if swallowed



Exposure routes Inhalation, Skin Absorption, Skin contact, Eye Contact, Ingestion

Eye Contact: May cause mild eye irritation. Symptoms include stinging, tearing, and redness.
Skin Contact: May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin.
Ingestion: Can cause gastrointestinal irritation, nausea, vomiting & diarrhea. Aspiration of material into lungs may cause chemical pneumonitis.
Inhalation: Excessive inhalation of vapors can cause nasal and respiratory irritation.

Label Elements

Precautionary Statements Keep out of the reach of children
Storage / Disposal Dispose of according to local, regional and/or national regulations.

Other Information

HMIS

| | |
|---------------------|--------------|
| HEALTH HAZARD | 1 - Slight |
| FLAMMABILITY HAZARD | 2 - Moderate |
| REACTIVITY HAZARD | 0 - Minimal |
| PERSONAL PROTECTION | n + p + t |

SECTION 3: Composition / Information on Ingredients

| HAZARDOUS INGREDIENT | CAS NUMBER | % |
|----------------------|------------|---------|
| Petroleum Distillate | 64742-47-8 | 10 - 25 |
| Petroleum Distillate | 64742-48-9 | 0 - 15 |

SECTION 4: First Aid Measures

Description of first aid measures

| | |
|------------|--|
| Inhalation | Move Victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention. |
| Skin | Wash with soap and water. Remove contaminated clothing and wash before re-use. |
| Eye | Remove contact lenses if present. Rinse with water for 15 minutes. Hold eyelids apart to insure flushing. Get medical attention if irritation develops. |
| Ingestion | Get immediate medical attention. If conscious, give two glasses of water. Do not induce vomiting. Have medical personnel determine if vomiting is necessary. |

Most important systems and effects, both acute and delayed

Product may cause drying of skin. Wear nitrile or rubber gloves when using product.

Indication of any immediate medical attention and special treatment needed

Note to Physician All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Fire Fighting Measures

Extinguishing media

Suitable Extinguishing Media CO₂, dry chemical, foam, water fog, water spray

Unsuitable Extinguishing Media None

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards None

Hazardous Combustion Products Combustion may produce Carbon Monoxide, CO₂ and potentially irritating fumes.

Advice for firefighters

Wear approved SCBA with full facepiece operated in positive pressure demand mode. Hazardous Polymerization is not expected to occur. Avoid contact with strong oxidizing agents and strong acids.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions For large spills (500 gallons or more) wear appropriate protective equipment including rubber boots, gloves, goggles and apron.

Emergency Procedures Turn off all sources of ignition. (pilot lights, flares, etc.)

Environmental Precautions Avoid run off to waterways and storm drains.

Methods and materials for containment and clean up

Containment / Clean up Measures Stop leak if you can do it without risk. Dike ahead of liquid spill to prevent entering storm drains. Absorb and transfer to containers.

SECTION 7: Handling and Storage

Precautions for safe handling

Handling Product is slippery. If product is spilled onto floor, clean area to prevent slipping.

Conditions for safe storage, including any incompatibilities

Storage Store in a cool, dry place.

Incompatible Materials or Ignition Sources

Keep away from oxidizers and strong acids

SECTION 8: Exposure Controls / Personal Protection

Exposure Controls

Engineering

Measures / Controls

None needed when used as directed.

Personal Protective Equipment

Safety goggles, nitrile gloves, dust respirator

General Industrial Hygiene

Considerations

None needed when used as directed

SECTION 9: Physical and Chemical Properties

Information on Physical and Chemical Properties

| | | | |
|-------------------------|--------------|-------------------------|---------------|
| Physical Form | Liquid | Appearance | Creamy liquid |
| Color | Yellow | Odor | Vanilla |
| Taste | Data Lacking | Particulate Type | N/A |
| Particulate Size | N/A | Aerosol Type | N/A |

General Properties

| | | | |
|---------------------------|-----------|----------------------|--------------|
| Boiling Pt | 280 F | Melting Point | Data Lacking |
| pH | 8.0 - 9.0 | SG / Density | 0.89 - 0-91 |
| Water Solubility % | 70 | Flash Pt. | 135 F |

SECTION 10: Stability and Reactivity

| | |
|---|--|
| Reactivity | No dangerous reaction know under conditions of normal use |
| Chemical stability | Stable under normal temperatures and pressures. |
| Possibility of hazardous reactions | Hazardous polymerization is not expected to occur |
| Conditions to Avoid | High temperatures, freezing temperatures |
| Hazardous Decomposition | Combustion may produce Carbon Monoxide, CO ₂ and potentially irritating fumes |

SECTION 11: Toxicological Information

Acute Toxicity: Unknown

Component Information: See Section 3

Specific effects

| | |
|-------------------------------|------------|
| Carcinogenic effects: | None known |
| Mutagenic effects: | None known |
| Reproductive toxicity: | None known |
| Target organ effects: | None known |

SECTION 12: Ecological Information

Environmental Information: Do not allow product to contaminate ground water system.

Petroleum Distillate 64742-47-8 Toxicity to Fish. LC50: 45 mg / L Pimephales promelas 96 h flow through.
LC50: 4720 mg / L Dendronereides heteropoda 96 h

SECTION 13: Disposal Considerations

Dispose of according to local, state and federal regulations.

SECTION 14: Transport Information

Product is not regulated for transport by DOT

SECTION 15: Regulatory Information

This product is not subject to reporting requirements for SARA 313, SARA 311/312, Clean Water Act, and CERCLA

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

SECTION 16: Other Information

Dated : June 4, 2015

WARNING: This information contained in this MSDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe: Read this safety information and forward it to all persons who may be exposed to this product.