SAFETY DATA SHEET.



Issuing date 12-May-2015

Revision Date 12-May-2015

Version 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING


<u>Product identifier</u> Product name	SUPER SHOT
Recommended use of the chemical and restrictions on use	-
Product code	HT 18090
Product Type Synonyms	Extremely flammable aerosol None
Supplier's details	
Recommended Use Uses advised against	Water based cleaner. No information available
Manufactured For: Hi-Tech Industries 33106 W. 8 Mile Farmington, MI 48336 Company Telephone: 248-358-2626	
Chemical Emergency Phone Number	INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas

GHS Label elements, including precautionary statements



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

Specific treatment (see first aid on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

HT 18090 SUPER SHOT

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None

Other information

• Toxic to aquatic life with long lasting effects

9E-07% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %*
D-LIMONENE	5989-27-5	1-10
2-BUTOXYETHANOL	111-76-2	1-10

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures for different exposure routes		
General advice	Avoid contact with eyes, skin, and clothing. Avoid breathing, vapors, mist, or gas.	
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Seek immediate medical attention/advice.	
Skin contact	Wash off immediately with soap and plenty of water. Remove and wash contaminated clothing before re-use. Get medical attention immediately if symptoms occur.	
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing has stopped, contact emergency medical services immediately.	
Ingestion	Do NOT induce vomiting. Call a physician immediately. Never give anything by mouth to an unconscious person. Risk of product entering the lungs on vomiting after ingestion.	
Most important symptoms/effects, acute and delayed		
Main Symptoms	Causes skin and eye irritation. Inhalation causing Central Nervous System effects. Ingestion causing lung damage.	
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water fog.Dry chemical. Carbon dioxide (CO2). Cool containers/tanks with water spray.

Unsuitable Extinguishing Media Keep away from heat and sources of ignition. Do not smoke. Cool containers / tanks with water spray.

Specific hazards arising from the chemical

Extremely flammable. Keep product and empty container away from heat and sources of ignition. Risk of ignition. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

Explosion Data Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge Yes.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL	RELEASE	MEASURES
---------------	---------	-----------------

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. Avoid dust formation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Take precautionary measures against static discharges.

Environmental precautions

Environmental precautions Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Prevent further leakage or spillage if safe to do so. Do not allow material to contaminate ground water system. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for ContainmentAbsorb or cover with dry earth, sand or other non-combustible material and transfer to
containers. Prevent further leakage or spillage if safe to do so.Methods for cleaning upPick up and transfer to properly labeled containers. Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top of can.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage
conditionsKeep container tightly closed in a dry and well-ventilated place. Keep away from open
flames, hot surfaces and sources of ignition. Keep in properly labeled containers. Keep out
of the reach of children. Store locked up.

Incompatible products Strong acids, alkalis, or oxidizing agents.

1

Aerosol Level

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
2-BUTOXYETHANOL 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³	
ACGIH: (American Conference of (OSHA: (Occupational Safety & Heal NIOSH IDLH: Immediately Danger	th Administration)	sts)		
Other Exposure Guidelines	Vacated limits revoked by the 962 (11th Cir., 1992).	e Court of Appeals decision in Al	FL-CIO v. OSHA, 965 F.2d	
Exposure controls				
Engineering Measures	Showers Eyewash stations Ventilation systems.			
Individual protection measures, si	uch as personal protective eq	uipment		
Eye/Face Protection	Safety glasses with side-shie	elds.		
Skin and body protection	Chemical resistant apron. Protective gloves.			
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.			
	provided in accordance with	current local regulations.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Appearance Color	Aerosol opaque white	Odor Odor Threshold	Solvent No information available
<u>Property</u> pH Melting/freezing point	<u>Values</u> 11.2 No information available	Remarks • Methods	-
Boiling point/boiling range Flash Point Evaporation rate	No information available -104 °C / -156 °F No information available	Based on propellant	
Flammability (solid, gas) Flammability Limits in Air upper flammability limit	No information available No information available		
lower flammability limit Vapor pressure Vapor density	No information available No information available No information available		
Specific Gravity Water solubility Partition coefficient: n-octanol/wate	0.930 Practically insoluble er No information available		
Autoignition temperature	No information available	Not applicable	

Decomposition temperature Viscosity Explosive properties

No information available No information available No information available

Other information

VOC Content(%)

24.22

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

Strong acids, alkalis, or oxidizing agents.

Hazardous Decomposition Products

Carbon oxides. Fumes. Hydrocarbons.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation	Vapors may irritate throat and respiratory system. May cause drownsiness and dizziness based on components. May cause irritation of respiratory tract. Avoid breathing vapors or mists.
Eye contact	Irritating to eyes. Avoid contact with eyes.
Skin contact	Irritating to skin. Repeated exposure may cause skin dryness or cracking. Prolonged skin contact may defat the skin and produce dermatitis. Avoid contact with skin.
Ingestion	May be harmful or fatal if swallowed. Aspiration into the lungs during swallowing may cause serious lung damage which may be fatal.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
D-LIMONENE 5989-27-5	= 4400 mg/kg (Rat)	>5 g/kg (Rabbit)	-
2-BUTOXYETHANOL 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat)4 h

Information on toxicological effects

Symptoms

Causes severe skin burns and eye damage. May cause allergc skin reaction . May cause respiratory irritation. Harmful if swallowed.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin.				
Eye damage/irritation	Irritating to eyes.				
Irritation		s, respiratory system and			
Sensitization		sitization by skin contact.			
Germ Cell Mutagenicity	None known.				
Carcinogenicity	The table below	w indicates whether each	agency has evaluated a	listed ingredient as a	
	carcinogen.				
Chemical Name	ACGIH	IARC	NTP	OSHA	
2-BUTOXYETHANOL	A3	Group 3	-	-	
111-76-2					
ACGIH: (American Confe	rence of Governmental Inc	lustrial Hygienists)			
A3 - Animal Carcinogen					
IARC: (International Agend					
Group 3 - Not Classifiable as				in a la seconda	
Reproductive toxicity		pes not contain any know			
Specific target organ syste	mic May cause res	piratory irritation. May cau	use drowsiness and dizzi	ness.	
toxicity (single exposure)					
Specific target organ syste					
toxicity (repeated exposure	2)				
Chronic toxicity		Intentional misuse by deliberately concentrating and inhaling contents may be harmful or			
	fatal. Chronic h	fatal. Chronic hydrocarbon abuse has been associated with irregular heart rhythms and			
	potential cardia	potential cardiac arrest. Prolonged skin contact may defat the skin and produce dermat			
	May cause adv	verse liver effects.			
Target Organ Effects	Blood, Central nervous system, Eyes, Hematopoietic System, Kidney, Liver, Respiratory			dney, Liver, Respiratory	
	system, Skin.				
Neurological effects	Intentional mis	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or			
5	fatal.	, ,	5 5	,	
Aspiration hazard	May be fatal if swallowed and enters airways.				
· · · · · · · · · · · · · · · · · · ·					
Numerical measures of tox	icity - Product Informa	tion			
Numerical measures of tox					
Unknown Acuto Toxicity	OF 07% of the	mixture consists of ingree	light(c) of unknown toxici	t) /	
Unknown Acute Toxicity		mixture consists of ingred		ty	
The following values are ca		ter 3.1 of the GHS docu			
ATEmix (oral)	6148 mg/kg				
ATEmix (dermal)	14390 mg/kg				
ATEmix (inhalation-dus	t/mist) 19.6 mg/l				
	,				

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
D-LIMONENE 5989-27-5	-	0.619 - 0.796 mg/L LC50 Pimephales promelas 96h flow-through 35 mg/L LC50 Oncorhynchus mykiss 96h	2	-
2-BUTOXYETHANOL 111-76-2	-	1490 mg/L LC50 Lepomis macrochirus 96h static 2950 mg/L LC50 Lepomis macrochirus 96h	-	1000 mg/L EC50 Daphnia magna 48h

Persistence and degradability No information available.

Bioaccumulation

No information available.

Chemical Name	log Pow
2-BUTOXYETHANOL	0.81
111-76-2	

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods	It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.
Contaminated packaging	Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Ground	CONSUMER COMMODITY ORM-D or LIMITED QUANTITY
ΙΑΤΑ	UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, LTD. QTY
IMDG	UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, LTD. QTY

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
D-LIMONENE	Х	Х	Х	Х	Х	Х	Х	Х
2-BUTOXYETHANOL	Х	Х	Х	Х	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %*	SARA 313 - Threshold Values %
2-BUTOXYETHANOL - 111-76-2	111-76-2	1-10	1.0
SARA 311/312 Hazard Categories			

SARA 311/312 Hazard Categories

HT 18090 SUPER SHOT

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden Release of Pressure Hazard	Yes
Reactive Hazard	no

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

U.S. State Regulations

California Proposition 65

This product does not contain any known Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-BUTOXYETHANOL	X	Х	Х
111-76-2			

EPA Pesticide Registration Number Not applicable

<u>Canada</u>

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

16. OTHER INFORMATION

<u>NFPA</u>	Health Hazard 2	Flammability	4	Instability 0	Physical and chemical hazards
HMIS	Health Hazard 2	Flammability	4	Physical Hazard 1	Personal protection B
Prepared By	Regula	atory Affairs			
Issuing date	12-Ma	y-2015			
Revision Date	12-Ma	y-2015			
Revision Note					
No information available					
Disclaimer					
				owledge, information and b safe handling, use, process	

publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet