Safety Data Sheet



SECTION 1: Identification

Product Name Mag

Wheel Cleaner Product Code 24-114, 24-115, 24-118

Recommended use Metal Wheel Cleaner & Water Spot Remover

Manufacturer Mark V Products

400 El Sobrante Road Corona, CA 92879 (951) 280-9799

Emergency Phone # Chemtrec (800) 424-9300

SECTION 2: Hazard Identification

Classification of Substance Mixture
Signal Words: Danger Toxic

Health Statements: H302: Harmful if swallowed.

H315: Causes skin Irritation

H319: Causes serious eye Irritation

H332: Harmful if inhaled

Label Elements

Exposure routes Inhalation, Skin Absorption, Skin contact, Eye Contact, Ingestion

Eye Contact: Causes serious eye irritation. Symptoms include stinging, tearing, redness and blurred vision **Skin Contact:** Causes skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include

redness, burning, drying, cracking and possible tissue damage.

Ingestion: Can cause gastrointestinal irritation, burns, nausea, vomiting, diarrhea and death. Aspiration of material

into lungs may cause chemical pneumonitis.

Inhalation: Excessive inhalation of vapors and mist can cause severe tissue damage.

Precautionary Statements Keep out of the reach of children. Wear protective gloves, face protection, apron,

and vapor respirator

Storage / Disposal Dispose of according to local, regional and/or national regulations.

Other Information HMIS

HEALTH HAZARD	
FLAMMABILITY HAZARD	0 - Minimal
REACTIVITY HAZARD	1 - Slight
PERSONAL PROTECTION	D + u

SECTION 3: Composition / Information on Ingredients

HAZARDOUS INGREDIENT CAS NUMBER %

Sulfuric Acid 7664-93-9 < 5

7004 00 0

SECTION 4: First Aid Measures

Description of first aid measures

Inhalation Remove to fresh air and keep comfortable. If breathing is difficult or you feel unwell, seek medical attention.

Skin Wash with soap and water. Remove contaminated clothing and wash before re-use.

Eye Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. If eye irritation persists, seek medical attention.

Ingestion Do not Induce vomiting. If conscious, give two glasses of water. Follow with Milk of Magnesia.

Get immediate medical attention. If spontaneous vomiting occurs, keep airway clear.

Most important systems and effects, both acute and delayed

Product is irritating to skin and mucous membranes. Always wear protection (eye goggles, nitrile gloves,

organic vapor resirator, rubber boots and rubber apron) when using product.

Indication of any immediate medical attention and special treatment needed

Note to Physician All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Fire Fighting Measures

Extinguishing media

Suitable Extinguishing Media C02, dry chemical, foam, water fog, water spray

Unsuitable Extinguishing Media None

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards None

Hazrdous Combusion Products Combustion may produce Carbon Monoxide, CO₂ and potentially irritating fumes.

Advice for firefighters

Wear approved SCBA with full facepiece operated in positive pressure demand mode.

Hazardous Polymerization is not expected to occur

Avoid contact with strong oxidizing agents and strong acids

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions For large spills (100 gallons or more) wear appropriate protective equipment including

rubber boots, gloves, goggles and apron.

Emergency Procedures Isolate spill or leak to prevent entering storm drains.

Environmental Precautions

Avoid run off to waterways and storm drains.

Methods and materials for containment and clean up

Containment / Clean up

Measures Stop leak if you can do it without risk.

Dike ahead of liquid spill to prevent entering storm drains.

Absorb and transfer to containers

SECTION 7: Handling and Storage

Precautions for safe handling

Handling Product is slippery. If product is spilled onto floor, clean area to prevent slipping.

Conditions for safe storage, including any incompatibilities

Storage Store in a cool, dry place. Keep away from oxidizers.

SECTION 8: Exposure Controls / Personal Protection

Exposure Controls

Engineering

Measures / Controls Use in well ventilated area. If used in an enclosed area, provide fans or

other mechanical means to provide adquate ventilation.

Personal Protective Equipment NIOSH approved acid gas cartridge respirator, chemical splash goggles,

nitrile gloves, rubber apron, and rubber boots

General Industrial Hygiene

Considerations Clean protective gear after use. Rinse with water and allow to dry.

SECTION 9: Physical and Chemical Properties

Information on Physical and Chemical Properties

Physical FormLiquidAppearanceThin, green liquidColorGreenOdorWintergreen

TasteData LackingParticulate TypeN/AParticulate SizeN/AAerosol TypeN/A

General Properties

Boiling Pt212 FMelting PointData LackingpH0.5 - 1.5SG / Density1.03 - 1.05Water Solubility %100VOC0 grams / Liter

SECTION 10: Stability and Reactivity

Reactivity No dangerous reaction know under conditions of normal use

Chemical stability Stable under normal temperatures and pressures.

Possibility of hazardous reactions Hazardous polymerization is not expected to occur

Conditions to Avoid Avoid contact with strong alkaline solutions, oxidizers, powdered metals & organic materials.

Hazardous Decomposition Combustion may emit toxic, corrisive fumes of Hydrogen Fluoride, Sulfur Dioxide

& Fluorine Gas.

SECTION 11: Toxicological Information

Sulfuric Acid CAS# 7664-93-9

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact.

Toxicity to Animals: Acute oral toxicity (LD50): 4280 mg/kg (Rat.)

Extremely hazardous in case of inhalation (lung corrosive). Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive).

NOTES TO PHYSICIAN: Treat inhalation as chemical pneumonia.

SECTION 12: Ecological Information

Sulfuric Acid is very toxic to aquatic life. Do not allow product into streams, storm drains or other bodies of water.

SECTION 13: Disposal Considerations

Dispose of according to local, state and federal regulations.

SECTION 14: Transport Information

Product is not regulated for ground or ocean transport

SECTION 15: Regulatory Information

SARA 302 Components

Sulfuric Acid is reportable under requirements of SARA Title III, Section 302.

SARA 313 Components

This material contains Sulfuric Acid Reportable quantity is 1000 lbs of Sulfuric Acid.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

TSCA

Sulfuric Acid is listed on TSCA. Reportable quantity is 1000 pounds of Sulfuric Acid.

SECTION 16: Other Information

Dated: December 17, 2015

WARNING: This information contained in this SDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe: Read this safety information and forward it to all persons who may be exposed to this product.