



Safety Data Sheet

SECTION 1: Identification

Product Name Qwik Solv
Product Code 18-55

Recommended use New Car Solvent

Manufacturer Mark V Products
 400 El Sobrante Road
 Corona, CA 92879
 (951) 280-9799

Emergency Phone # Chemtrec (800) 424-9300

SECTION 2: Hazard Identification

Classification of Substance Mixture

Signal Word: Warning

Physical Statements: H227: Combustible Liquid

Health Statements: H302: Harmful if swallowed
 H320: Causes eye irritation
 H332: Harmful if inhaled



Exposure routes Inhalation, Skin Absorption, Skin contact, Eye Contact, Ingestion

Eye Contact: Causes eye irritation. Symptoms include stinging, tearing, and redness.

Skin Contact: Causes skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin.

Ingestion: Harmful if swallowed. Can cause gastrointestinal irritation, nausea, vomiting & diarrhea. Aspiration of material into lungs may cause chemical pneumonitis.

Inhalation: Harmful if inhaled. Excessive inhalation of vapors can cause nasal and respiratory irritation, central nervous system effects including dizziness, weakness, fatigue, nausea, headache and possible unconsciousness.

Label Elements

Precautionary Statements Keep out of the reach of children, Do not use near heat, sparks or open flame. Use outdoors or in well-ventilated area. Wear protective gloves, eye protection, apron and vapor respirator

Storage / Disposal Dispose of according to local, regional and/or national regulations.

Other Information

HMIS

HEALTH HAZARD	2 - Moderate
FLAMMABILITY HAZARD	2 - Moderate
REACTIVITY HAZARD	0 - Minimal
PERSONAL PROTECTION	H

SECTION 3: Composition / Information on Ingredients

HAZARDOUS INGREDIENT	CAS NUMBER
Petroleum Distillate	64742-95-6
Petroleum Distillate	64742-88-7
Petroleum Distillate	64742-47-8

SECTION 4: First Aid Measures

Description of first aid measures

Inhalation	Move Victim to fresh air and keep comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing and get medical attention.
Skin	Wash with soap and water. Remove contaminated clothing and wash before re-use.
Eye	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.
Ingestion	If conscious, give two glasses of water. Do not induce vomiting. Get medical attention if you feel unwell.

Most important systems and effects, both acute and delayed

Product may cause drying of skin. Wear nitrile gloves when using product.

Indication of any immediate medical attention and special treatment needed

Note to Physician All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Fire Fighting Measures

Extinguishing media

Suitable Extinguishing Media CO₂, dry chemical, foam, water fog, water spray

Unsuitable Extinguishing Media None

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards None

Hazardous Combustion Products Combustion may produce Carbon Monoxide, CO₂ and potentially irritating fumes.

Advice for firefighters

Wear approved SCBA with full facepiece operated in positive pressure demand mode. Hazardous Polymerization is not expected to occur. Avoid contact with strong oxidizing agents and strong acids.

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions For large spills (500 gallons or more) wear appropriate protective equipment including rubber boots, gloves, goggles and apron.

Emergency Procedures Turn off all sources of ignition. (pilot lights, flares, etc.)

Environmental Precautions Avoid run off to waterways and storm drains.

Methods and materials for containment and clean up

Containment / Clean up Measures Stop leak if you can do it without risk. Dike ahead of liquid spill to prevent entering storm drains. Absorb and transfer to containers.

SECTION 7: Handling and Storage

Precautions for safe handling

Handling Product is slippery. If product is spilled onto floor, clean area to prevent slipping.

Conditions for safe storage, including any incompatibilities

Storage Store in a cool, dry place.

Incompatible Materials or Ignition Sources

Keep away from oxidizers and strong acids

SECTION 8: Exposure Controls / Personal Protection

Exposure Controls

Engineering

Measures / Controls

None needed when used as directed.

Personal Protective Equipment

Safety goggles, nitrile gloves, and vapor respirator with hydrocarbon solvent cartridges.

General Industrial Hygiene

Considerations

None needed when used as directed

SECTION 9: Physical and Chemical Properties

Information on Physical and Chemical Properties

Physical Form	Liquid	Appearance	Clear, thin liquid
Color	Clear	Odor	Solvent
Taste	Data Lacking	Particulate Type	N/A
Particulate Size	N/A	Aerosol Type	N/A

General Properties

Boiling Pt	280 F	Melting Point	Data Lacking
pH	N/A	SG / Density	0.85 - 0.87
Water Solubility %	0	Flash Pt.	140 F

SECTION 10: Stability and Reactivity

Reactivity	No dangerous reaction know under conditions of normal use
Chemical stability	Stable under normal temperatures and pressures.
Possibility of hazardous reactions	Hazardous polymerization is not expected to occur
Conditions to Avoid	High temperatures, freezing temperatures
Hazardous Decomposition	Combustion may produce Carbon Monoxide, CO ₂ and potentially irritating fumes

SECTION 11: Toxicological Information

Acute Toxicity: TLV = 100 ppm

Component Information: See Section 3

Specific effects

Carcinogenic effects:	Product may contain trace amounts of Trimethylbenzene which may cause Cancer
Mutagenic effects:	None known
Reproductive toxicity:	Product may contain trace amounts of Toluene & Benzene which may cause reproductive harm.
Target organ effects:	Liver and kidneys

SECTION 12: Ecological Information

Environmental Information: Do not allow product to containmate ground water system.

Petroleum Distillate 64742-47-8 Toxicity to Fish. LC50: 45 mg / L Pimephales promeals 96 h flow through.
LC50: 4720 mg / L Dendronereides heteropoda 96 h

SECTION 13: Disposal Considerations

Dispose of according to local, state and federal regulations.

SECTION 14: Transport Information

Shipping Name: Petroleum Distillate, n.o.s. Combustible Liquid
UN Listing: UN 1268
Packing Group: III
Constituent: Petroleum Distillate

SECTION 15: Regulatory Information

This product is not subject to reporting requirements for SARA 313, SARA 311/312, Clean Water Act, and CERCLA. This product may contain trace amounts of Trimethylbenzene, Benzene, and/or Toluene. Reportable quantities are below limits set by SARA.

California Proposition 65: This product is subject to the reporting requirements under California's Proposition 65.

This product may contain the following substances known to the State of California to cause reproductive harm.
Toluene / Benzene.

This product contains the following substances known to the State of California to cause Cancer.
Trimethylbenzene.

SECTION 16: Other Information

Dated : June 4, 2015

WARNING: This information contained in this MSDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe: Read this safety information and forward it to all persons who may be exposed to this product.