

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### SECTION 1: Identification

#### 1.1 Product identifier

Trade name **MVP Bug Goo**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses vehicle cleaner

#### 1.3 Details of the supplier of the safety data sheet

MVP Distributing  
2854 S Featherly Way  
Boise, ID 83709  
208-859-6000

Competent person responsible for the SDS  
Robert Blahnik

#### 1.4 Emergency telephone number

Emergency information service **USA 1.800.535.5053, INTL 1.352.323.3500**  
24 hour emergency telephone number.

### SECTION 2: Hazard(s) identification

#### 2.1 Classification of the substance or mixture

##### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Annex	-	Hazard class and category	-	Hazard statement code(s)	
B.16		corrosive to metals	Cat. 1	(Met. Corr. 1)	H290
A.2		skin corrosion/irritation	Cat. 2	(Skin Irrit. 2)	H315
A.3		serious eye damage/eye irritation	Cat. 1	(Eye Dam. 1)	H318

##### Remarks

For full text of H-phrases: see SECTION 16.

##### Hazards not otherwise classified

Harmful to aquatic life with long lasting effects (GHS category 3: aquatic toxicity - acute and chronic).

#### 2.2 Label elements

##### Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

**Signal word** **danger**

##### Pictograms

GHS05



##### Hazard statements

H290 May be corrosive to metals.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.

##### Precautionary statements

##### Precautionary statements - prevention

Keep only in original container.  
Wash thoroughly after handling.  
Wear protective gloves/eye protection/face protection.

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### Precautionary statements - response

IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Absorb spillage to prevent material damage.

### Precautionary statements - storage

Store in corrosive resistant container with a resistant inner liner.

### Hazardous ingredients for labelling

Alcohols, C9-11 ethoxylated, EDTA, anhydrous

### 2.3 Other hazards

There is no additional information.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Hazard class and category		Hazard statement
Alcohols, C9-11 ethoxylated	CAS No 68439-46-3	5 - < 10	A.3	Eye Dam. 1	H318
EDTA, anhydrous	CAS No 64-02-8	5 - < 10	A.10 A.11 A.3 A.9	Acute Tox. 4 Acute Tox. 4 Eye Dam. 1 STOT RE 2	H302 H332 H318 H373
potassium hydroxide	CAS No 1310-58-3	1 - < 5	B.16 A.10 A.2 A.3	Met. Corr. 1 Acute Tox. 4 Skin Corr. 1A Eye Dam. 1	H290 H302 H314 H318

For full text of abbreviations: see SECTION 16.

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### SECTION 4: First-aid measures

#### 4.1 Description of first-aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

##### Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

water, foam, alcohol resistant foam, ABC-powder

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential. Corrosive to metals.

##### Hazardous combustion products

nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety.

##### For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains. - Take up mechanically.

#### Advices on how to clean up a spill

Take up mechanically. Collect spillage (sawdust, kieselgur (diatomite), sand, universal binder).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Recommendations

#### Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

#### Warning

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Managing of associated risks

##### • Explosive atmospheres

Removal of dust deposits.

##### • Corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

#### Incompatible substances or mixtures

Observe compatible storage of chemicals.

#### Control of the effects

#### Protect against external exposure, such as

frost

#### Consideration of other advice

#### Ventilation requirements

Use local and general ventilation.

#### Packaging compatibilities

Only packagings which are approved (e.g. acc. to DOT) may be used.

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
US	glycerin (mist)	56-81-5	PEL		15			29 CFR OSHA
US	glycerin (mist)	56-81-5	PEL		5			29 CFR OSHA
US	particulates not otherwise regulated (PNOR)		PEL	1,766	15			29 CFR OSHA
US	particulates not otherwise regulated (PNOR)		PEL	529.5	5			29 CFR OSHA

#### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified.

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average.

#### Relevant DNELs/DMELs/PNECs and other threshold levels

No data available.

### 8.2 Exposure controls

#### Appropriate engineering controls

General ventilation.

#### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

###### • hand protection

Wear protective gloves.

###### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

Particulate filter device (EN 143).

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	solid
Color	yellow
Odor	characteristic

##### Other physical and chemical parameters

pH (value)	9.7 (25 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	100 °C
Flash point	not applicable (closed cup)
Evaporation rate	not determined
Flammability (solid, gas)	
Vapor pressure	31.69 hPa at 25 °C
Density	not determined
Relative density	0.9 - 1.1 water = 1
Solubility(ies)	not determined
Partition coefficient n-octanol/water (log KOW)	This information is not available.
Auto-ignition temperature	311 °C
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidizing properties	none

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". corrosive to metals

#### 10.2 Chemical stability

See below "Conditions to avoid".

#### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

##### Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

##### Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
EDTA, anhydrous	64-02-8	oral	1,913
potassium hydroxide	1310-58-3	oral	333

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitization

Shall not be classified as a respiratory or skin sensitizer.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

#### Carcinogenicity

- National Toxicology Program (United States): none of the ingredients are listed
- IARC Monographs none of the ingredients are listed

#### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity (acute)

Shall not be classified as hazardous to the aquatic environment.

##### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C9-11 ethoxylated	68439-46-3	LC50	7 mg/l	fish	96 hours
Alcohols, C9-11 ethoxylated	68439-46-3	EC50	2.5 mg/l	aquatic invertebrates	48 hours
EDTA, anhydrous	64-02-8	LC50	121 mg/l	fish	96 hours

##### Aquatic toxicity (chronic)

##### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
EDTA, anhydrous	64-02-8	EC50	625 mg/l	aquatic invertebrates	24 h

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

##### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Alcohols, C9-11 ethoxylated	68439-46-3		3.75	
EDTA, anhydrous	64-02-8	1.8		

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.



# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

##### Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

##### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

- |      |  |  |
|------|--|--|
| 14.1 | UN number  | 1760   |
| 14.2 | UN proper shipping name  | CORROSIVE LIQUID, N.O.S.   |
| 14.3 | Transport hazard class(es)<br>Class  | 8 (corrosive substances)   |
| 14.4 | Packing group  | III (substance presenting low danger)  |
| 14.5 | Environmental hazards  | none (non-environmentally hazardous acc. to the dangerous goods regulations) |
| 14.6 | Special precautions for user<br>There is no additional information.  |  |
| 14.7 | Transport in bulk according to Annex II of MARPOL and the IBC Code<br>The cargo is not intended to be carried in bulk. |  |

#### Information for each of the UN Model Regulations

##### • Transport of dangerous goods by road or rail (49 CFR US DOT)

Index number	1760
Proper shipping name	Corrosive liquid, n.o.s.
Class	8
Packing group	III
Danger label(s)	8



Special provisions (SP)	IB3, T7, TP1, TP28
ERG No	154

##### • International Maritime Dangerous Goods Code (IMDG)

UN number	1760
Proper shipping name	CORROSIVE LIQUID, N.O.S.
Class	8
Packing group	III
Danger label(s)	8

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03



Special provisions (SP) 223, 274  
Excepted quantities (EQ) E1  
Limited quantities (LQ) 5 L  
EmS F-A, S-B  
Stowage category B  
Clear of living quarters

• **International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number 1760  
Proper shipping name Corrosive liquid, n.o.s.  
Class 8  
Packing group III  
Danger label(s) 8



Special provisions (SP) A3, 274  
Excepted quantities (EQ) E1  
Limited quantities (LQ) 1 L

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### **SARA TITLE III (Superfund Amendment and Reauthorization Act)**

List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302 and 304) none of the ingredients are listed

Specific Toxic Chemical Listings (40 CFR 372) (EPCRA Section 313) none of the ingredients are listed

##### **Industry or sector specific available guidance(s)**

##### **NPCA-HMIS® III**

Hazardous Materials Identification System (American Coatings Association)

Category	Rating	Description
<b>Chronic</b>	*	Chronic (long-term) health effects may result from repeated overexposure.
<b>Health</b>	3	Major injury likely unless prompt action is taken and medical treatment is given.
<b>Flammability</b>	2	Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
<b>Physical hazard</b>	0	Materials that are normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives.
<b>Personal protective equipment</b>	-	

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### NFPA® 704

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)

Category	Degree of hazard	Description
Flammability	2	Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
Health	3	Materials that, under emergency conditions, can cause serious or permanent injury.
Instability	0	Materials that are normally stable, even under fire conditions.
Special hazard		

### Right to Know Hazardous Substance List

Name of substance	CAS No	Remarks	Classifications
potassium hydroxide	1310-58-3		CO R1

#### Legend

CO Corrosive.  
R1 Reactive - First Degree.

### Proposition 65 List of chemicals

none of the ingredients are listed

### Relevant European Union (EU) safety, health and environmental provisions

#### Classification according to GHS (1272/2008/EC, CLP)

##### Hazard class

corrosive to metals  
serious eye damage/eye irritation

##### Category Hazard class and category

1 (Met. Corr. 1)  
1 (Eye Dam. 1)

## SECTION 16: Other information, including date of preparation or last revision

### 16.2 Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR OSHA	29 CFR §1910.1001 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR § 40 U.S. Department of Transportation
Acute Tox.	acute toxicity
ATE	Acute Toxicity Estimate
BCF	BioConcentration Factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	chemical oxygen demand
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

Abbr.	Descriptions of used abbreviations
DOT	Department of Transportation (USA)
EmS	Emergency Schedule
ERG No	Emergency Response Guidebook - Number
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
log KOW	n-octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	corrosive to metals
NFPA® 704	National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States)
NPCA-HMIS® III	National Paint and Coatings Association: Hazardous Materials Identification System - HMIS® III, Third Edition
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts per million
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT RE	specific target organ toxicity - repeated exposure
vPvB	very Persistent and very Bioaccumulative

### 16.3 Key literature references and sources for data

- OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200
- 49 CFR § 172.101 Hazardous Materials Table (DOT)

### 16.4 Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

# Safety Data Sheet

acc. to OSHA, Appendix D to § 1910.1200

## MVP Bug Goo

Version number: GHS 1.0

Date of compilation: 2015-11-03

### 16.5

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H290	may be corrosive to metals
H302	harmful if swallowed
H314	causes severe skin burns and eye damage
H315	causes skin irritation
H318	causes serious eye damage
H332	harmful if inhaled
H373	may cause damage to organs through prolonged or repeated exposure

### 16.7

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.