Printing date 04/24/2015

Reviewed on 04/24/2015

1 Identification

· Product identifier

· Trade name: SUPER ACID RAIN REMOVER

- · Article number: P-41
- · Application of the substance / the mixture Polishing agent/ Burnishing compound

 \cdot Details of the supplier of the safety data sheet

• Manufacturer/Supplier: BAF Industries 8010 Dixie Highway Florence, KY 41042 USA phone: 859-372-5900

· Information department: msds_info@prowax.com

2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- *Classification according to Directive 67/548/EEC or Directive 1999/45/EC* Not applicable.
- · Information concerning particular hazards for human and environment:
- *The product has to be labeled due to the calculation procedure of international guidelines. Classification system:*
- The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.
- · Label elements
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- *Hazard-determining components of labeling:* cristobalite
- · Hazard statements
- May cause cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. • Classification system:

· NFPA ratings (scale 0 - 4)



0

(Contd. on page 2)

US

Printing date 04/24/2015

Reviewed on 04/24/2015

Trade name: SUPER ACID RAIN REMOVER

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH 1	Health = 1
FIRE 2	Fire = 2
REACTIVITY 0	Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	•	
64742-47-8	Distillates (petroleum), hydrotreated light	10-25%
	🗙 Xn R65	
	🚸 Asp. Tox. 1, H304; Flam. Liq. 4, H227	
14464-46-1		2.5-10%
	🚸 Carc. 1A, H350	
	Terpene mixture	<i>≤</i> 2.5%
	Flam. Liq. 4, H227	

4 First-aid measures

· Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- *CO2*, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • **Special hazards arising from the substance or mixture** No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 04/24/2015

Reviewed on 04/24/2015

(Contd. of page 2)

Trade name: SUPER ACID RAIN REMOVER

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

14464-46-1 cristobalite

- PEL 1/2 value from respirable dust formulae for Quartz
- REL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A TLV Long-term value: 0.025* mg/m³
- *as respirable fraction
- Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- · Protection of hands:
- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/24/2015

*

Reviewed on 04/24/2015

Trade name: SUPER ACID RAIN REMOVER

• Eye protection: Goggles recommended during refilling.

Physical and chemical proper	
Information on basic physical and c General Information	chemical properties
Appearance:	
Form:	Viscous
Color:	Whitish
Odor:	Solvent-like
Odour threshold:	Not determined.
<i>pH-value at 20 °C (68 °F):</i>	9
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	66 °C (151 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	210 °C (410 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	0.8 Vol %
Upper:	6.0 Vol %
Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	23 hPa (17 mm Hg)
Density at 20 °C (68 °F):	0.9958 g/cm ³ (8.31 lbs/gal)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	r r): Not determined.
Viscosity:	
Dynamic at 20 $\bullet C$ (68 $\bullet F$):	17500 mPas
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	24.6 %
Water:	53.2 %
VOC content:	0.2 %
	2.3 g/l / 0.02 lb/gl
Solids content:	20.0 %
Other information	<i>No further relevant information available.</i>

10 Stability and reactivity

- · Reactivity
- · Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 5)

US

Printing date 04/24/2015

Reviewed on 04/24/2015

(Contd. of page 4)

1

K

Trade name: SUPER ACID RAIN REMOVER

- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid No further relevant information available.*
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

14464-46-1 cristobalite

· NTP (National Toxicology Program)

14464-46-1 cristobalite

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

Printing date 04/24/2015

Reviewed on 04/24/2015

Trade name: SUPER ACID RAIN REMOVER

(Contd. of page 5)

UN-Number		
DOT	NA 1993	
ADR, ADN, IMDG, IATA	Void	
UN proper shipping name		
DOT	COMBUSTIBLE LIQUID, N.O.S	
ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT		
Class	3 Combustible liquids	
ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT	III	
ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	: II of	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 60 L	
	On cargo aircraft only: 220 L	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- · Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- · TSCA (Toxic Substances Control Act) All ingredients are listed
- · Proposition 65
- · Chemicals known to cause cancer:

14464-46-1 cristobalite

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

 \cdot Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 7)

U

Printing date 04/24/2015

Reviewed on 04/24/2015

(Contd. of page 6)

A2

Trade name: SUPER ACID RAIN REMOVER

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

14464-46-1 cristobalite

· NIOSH-Ca (National Institute for Occupational Safety and Health)

14464-46-1 cristobalite

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS08

· Signal word Danger

• Hazard-determining components of labeling: cristobalite

• *Hazard statements May cause cancer.*

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 04/24/2015 / 3

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINECS: European Inventory of Existing Commercial Chem ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

Flam. Liq. 4: Flammable liquids, Hazard Category 4

Carc. 1A: Carcinogenicity, Hazard Category 1A

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

 \cdot * Data compared to the previous version altered.

Carriage of Dangerous Goods by Road)