Safety Data Sheet



SECTION 1: Identification

Product Name Adhesive Remover

Product Code 18-05

Recommended use Specialty Adhesive Remover

Manufacturer Mark V Products

400 El Sobrante Road Corona, CA 92879 (951) 280-9799

Emergency Phone # Chemtrec (800) 424-9300

SECTION 2: Hazard Identification

Classification of Substance Mixture

Signal Word: Warning

Physical Statements: H227: Flammable Liquid and Vapor

Health Statments: H302: Harmful if swallowed

H315: Causes skin irritation H320: Causes eye irritation H332: Harmful if inhaled

Exposure routes Inhalation, Skin Absorption, Skin contact, Eye Contact, Ingestion

Eye Contact: Causes eye irritation. Symptoms include stinging, tearing, and redness.

Skin Contact: Causes skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include

redness, burning, drying and cracking of skin.

Ingestion: Harmful if swallowed. Can cause gastrointestinal irritation, nausea, vomiting & diarrhea.

Aspiration of material into lungs may cause chemical pneumonitis.

Inhalation: Harmful if inhaled. Excessive inhalation of vapors can cause nasal and respiratory irritation,

central nervous system effects including dizziness, weakness, fatigue, nausea, headache and

possible unconsciousness.

Label Elements

Precautionary Statements Wear nitrile gloves, eye protection, apron, and a vapor respirator. Keep away from heat, sparks

and open flames. Keep out of the reach of children.

Storage / Disposal
Other Information

Dispose of according to local, regional and/or national regulations.

HMIS

HEALTH HAZARD	2 - Moderate
FLAMMABILITY HAZARD	3 - Serious
REACTIVITY HAZARD	0 - Minimal
PERSONAL PROTECTION	Н

SECTION 3: Composition / Information on Ingredients

HAZARDOUS INGREDIENT CAS NUMBER
Petroleum Distillate 64742-47-8
Petroleum Distillate 1330-20-7

SECTION 4: First Aid Measures

Description of first aid measures

Inhalation Move Victim to fresh air and keep comfortable for breathing. Get medical attention if you feel unwell.

Give artificial respiration if victim is not breathing and get immediate medical attention. Wash with soap and water. Remove contaminated clothing and wash before re-use.

Eye Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists, seek medical attention.

Ingestion Get immediate medical attention. If conscious, give two glasses of water. Do not induce vomiting.

Have medical personnel determine if evacuation is necessary.

Most important systems and effects, both acute and delayed

Product may cause drying of skin. Wear nitrile gloves when using product.

Indication of any immediate medical attention and special treatment needed

Note to Physician All treatments should be based on observed signs and symptoms of distress in the patient.

SECTION 5: Fire Fighting Measures

Extinguishing media

Skin

Suitable Extinguishing Media C02, dry chemical, foam, water fog, water spray

Unsuitable Extinguishing

Media None

Special hazards arising from the substance or mixture

Unusual Fire and Explosion

Hazards None

Hazrdous Combusion

Products Combustion may produce Carbon Monoxide, CO₂ and potentially irritating fumes.

Advice for firefighters Wear approved SCBA with full facepiece operated in positive pressure demand mode.

Hazardous Polymerization is not expected to occur

Avoid contact with strong oxidizing agents and strong acids

SECTION 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions For large spills (500 gallons or more) wear appropriate protective equipment including

rubber boots, gloves, goggles and apron.

Emergency Procedures Turn off all sources of ignition. (pilot lights, flares, etc.)

Environmental Precautions Avoid run off to waterways and storm drains.

Methods and materials for containment and clean up

Containment / Clean up

Measures Stop leak if you can do it without risk. Dike ahead of liquid spill to prevent entering

storm drains. Absorb and transfer to containers.

SECTION 7: Handling and Storage

Precautions for safe handling

Handling Product is slippery. If product is spilled onto floor, clean area to prevent slipping.

Conditions for safe storage, including any incompatibilities

Storage Store in a cool, dry place.

Incompatible Materials or Ignition Sources

Keep away from oxidizers and strong acids

SECTION 8: Exposure Controls / Personal Protection

Exposure Controls

Engineering

Measures / Controls None needed when used as directed.

Personal Protective Equipment Safety goggles, nitrile gloves, and vapor respirator with

hydrocarbon solvent cartridges.

General Industrial Hygiene

Considerations None needed when used as directed

SECTION 9: Physical and Chemical Properties

Information on Physical and Chemical Properties

Physical Form Liquid Appearance Clear, thin liquid

ColorClearOdorSolventTasteData LackingParticulate TypeN/AParticulate SizeN/AAerosol TypeN/A

General Properties

Boiling Pt280 FVapor Pressure9 mm Hg at 20 CpHN/ASG / Density0.85 - 0.87

Water Solubility % 0 Flash Pt. 84 F

SECTION 10: Stability and Reactivity

Reactivity No dangerous reaction know under conditions of normal use

Chemical stability Stable under normal temperatures and pressures.

Possibility of hazardous reactions Hazardous polymerization is not expected to occur

Conditions to Avoid High temperatures, freezing temperatures

Hazardous Decomposition Combustion may produce Carbon Monoxide, CO₂ and potentially irritating fumes

SECTION 11: Toxicological Information

Acute Toxicity: ORAL (LD50): Acute: 4300 mg/kg [Rat.]. DERMAL (LD50): Acute: 8400 mg/kg [Rabbit.].

VAPOR (LC50): Acute: 4550 ppm 4 hour(s) [Rat]

Component Information: See Section 3

Specific effects

Carcinogenic effects: Product may contain trace amounts of Trimethylbenzene which may cause Cancer

Mutagenic effects: None known

Reproductive toxicity: Product may contain trace amounts of Toluene & Benzene which may cause

reproductive harm.

Target organ effects: Liver and kidneys

SECTION 12: Ecological Information

Environmental Information: Do not allow product to containmate ground water system.

Petroleum Distillate 64742-47-8 Toxicity to Fish. LC50: 45 mg / L Pimephales promeals 96 h flow through.

LC50: 4720 mg / L Dendronereides heteropoda 96 h

SECTION 13: Disposal Considerations

Dispose of according to local, state and federal regulations.

SECTION 14: Transport Information

Shipping Name: Flammable Liquids, NOS (Petroleum Naptha)

UN Listing: UN 1993

Packing Group:

Constituent: Petroleum Distillate

SECTION 15: Regulatory Information

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65
This product is not subject to reporting requirements for SARA 313, SARA 311/312, Clean Water Act, and CERCLA

SECTION 16: Other Information

Dated: June 4, 2015

WARNING: This information contained in this MSDS is based on the data available to us from sources we believe to be reliable. No warranty or guaranty expressed or implied is made regarding the accuracy of this data or the results obtained from the reliance on this data. The manufacturer assumes no responsibility for injury from the use of this product. Be safe: Read this safety information and forward it to all persons who may be exposed to this product.